

149-20

1/28/2014

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

JAN 28 2014

Chad L. Mateer
Senoret Chemical Company, Inc.
69 N. Locust Street
Lititz, PA 17543-0327

Subject: PRN 98-10, EPA Reg. No. 149-20

Dear Mr. Mateer:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated November 14, 2013 for the product EPA Reg. No. 149-20. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

If you have any questions, please call me directly at 703-305-6701 or Carlyn Petrella of my staff at 703-347-0439.

Sincerely,

A handwritten signature in black ink, appearing to read "Richard Gebken".

Richard Gebken
Insecticide Branch PM 10 Team Leader
Registration Division (7505P)
Office of Pesticide Programs

2/6

Terro® Home Pest Control

Alternate Brand Name: Terro® Home Insect Killer

[For Indoor And Outdoor Use

- Ready-To-Use
- Easy-To-Use
- Water-Based
- Kills On Contact
- Kills Fast
- Long-Lasting
- Keeps Killing Carpenter Ants For Up To 1 Months [4 Weeks] When Applied To Non-Porous Surfaces
- Keeps Killing Pharaoh Ants, Crazy Ants And Fire Ants For Up To 1 Week
- Keeps Killing German Cockroaches For Up To 12 Months [1 Year, 52 Weeks]
- Kills Fleas
- Kills Mosquitoes
- Keeps Killing Flies For Up To 5 Months [20 Weeks]
- Odorless
- Non-Staining
- No Oily [Greasy] Residue
- For Use In And Around Horse Stables
- Keeps Killing Stable Flies For Up To 18 Weeks [4.5 Months, 135 Days]
- For Use On House Plants

• For Use On Ornamental Plants

- Kills Fleas & Ticks
- Kills Home Invading Pests
- Kills Spiders, Centipedes And Scorpions
- Kills Roaches, Ants And Fleas On Contact
- Kills Pantry Pests
- Kills Plant Pests
- Kills Aphids, Mealy Bugs, Lace Bugs, Thrips, Leafminers And Mites
- Kills Spider Mites
- Kills Japanese Beetles
- Kills Stink Bugs
- Also Controls Carpenter Ants & Carpenter Bees
- Controls Ticks That May Carry Lyme Disease
- Results Guaranteed*
- No Drips - No Runs
- Stays Where You Put It
- Does Not Stain Surfaces
- Does Not Stain Fabrics
- No Shaking Required
- No Shake Formula
- No Drip Formula]
- Effective against: over [insert #] different types of insects [claim to be used with correct number of insects specified on label]

* For terms of guarantee, see back panel

NOTIFICATION

JAN 28 2014

ACTIVE INGREDIENT:

Deltamethrin 0.03%

OTHER INGREDIENTS: 99.97%
100.00%

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicado ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Rear Panel [or Booklet] For Additional Precautions [or Additional Precautionary Statements [& First Aid]]

NET CONTENTS: _____

**Senoret Chemical Company, Inc.
566 Leffingwell Avenue
Kirkwood, MO 63122**

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION. Contact with product may result in transient tingling and reddening of the skin. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

Environmental Hazards

This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Physical or Chemical Hazards




Do not apply this product in or on electrical equipment due to possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

[See inside for spray directions.]

[optional graphics and sprayer directions]

ATTACH	SPRAY	STORE
		
<ul style="list-style-type: none"> • Remove sprayer from bottle & extend tubing from sprayer • Insert sprayer hose-end plug into snap-cap opening 	<ul style="list-style-type: none"> • Set sprayer nozzle to desired spray setting • Point sprayer downward and pump trigger until flow is established. 	<ul style="list-style-type: none"> • When finished, turn sprayer nozzle to "X" setting • Keep hose-end plugged into snap cap • Snap sprayer back into the bottle

General Information: Hold container upright. Do not spray up into air. Apply to surfaces only as a spot and crack & crevice treatment. [Turn sprayer nozzle to "on" position.] Hold approximately 12 inches from surface to be sprayed. Squeeze trigger to spray until surface is slightly moist but not to the point of runoff. Over application may cause damage. Test in an inconspicuous area before applying.

Do not allow children or pets to contact treated surfaces until spray has dried.

Terro® Home Pest Control [or this product] is intended to be used in and around residences and their immediate surroundings such as (but not limited to): apartments, atriiums, attics, automobiles, basements, bathrooms, boats, cabins, campers, carports, cat sleeping quarters, clothes storage, condominiums, decks, dens, driveways, garages, gazebos, homes, kitchens, lanais, living rooms, parlors, patios, pet sleeping areas, play rooms, porches, recreational vehicles, rooms, solariums, storage areas, sun rooms, utility rooms and verandas. Do not use in commercial food handling establishments, restaurants or other places where food is commercially prepared or processed.

Terro® Home Pest Control [or this product] long-lasting action keeps on killing **German Cockroaches** for up to 12 months [1 year] and **Flies** for up to 150 days [20 weeks; 5 months] after you spray. More frequent applications may be necessary on concrete surfaces, check these areas in 4 weeks and retreat if insect activity continues. Contact kill gives you immediate results when spraying insects directly, while residual activity kills insects when they return to treated areas.

INDOORS

Cockroaches (Including Adult and Immature Stages Of Both Non-Resistant And Organophosphate And Carbamate Resistant Strains), Ants, Boxelder Bugs, Centipedes, Crickets, Dermestids, Firebrats, Fleas, Palmetto Bugs, Silverfish, Sowbugs, Stick Bugs, Ticks and Waterbugs: Apply as a spot and crack & crevice treatment to areas where these pests crawl and hide, especially in hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. Cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed. Repeat as necessary but not more than once per week.

[**Roaches:** Spray in cracks and crevices, around baseboards and other hiding places.]

Ants: Spray ant trails and around doors and windows and other places where ants enter the house. Repeat as necessary but not more than once per week.

Carpenter Ants: For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings.

Ticks [(Including Deer Ticks Which May Carry Lyme Disease)] and Fleas on Surfaces: Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters. **Adult Fleas** and **Larvae** contacted by spray will be killed. Put fresh bedding down once spray has dried. Do not spray animals directly. For best results, pets should be treated with an appropriate flea and/or tick control product registered for use on pets before allowing them to return to the treated area. Spray rugs and carpets where infestations are bad. Delicate fabrics should be tested for staining in an inconspicuous area prior to use.

Spiders: Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

Centipedes, Ground Beetles, Pillbugs, Sowbugs, Scorpions and Ticks: Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

[Silverfish, Crickets, Spiders: Apply to areas infested by these pests.]

FLYING INSECTS: Houseflies, Gnats, Mosquitoes, Small Flying Moths, and Stink Bugs: Spray localized resting areas, such as under eaves, porches, inside surfaces of window and door frames, surfaces around light fixtures and cords, railings, etc. and anywhere these insects may rest. Insects coming to rest on treated surfaces will be killed.

[FLYING INSECTS: Spray resting areas. Insects coming to rest on treated surfaces will be killed.]

HORSE STABLES: To Control **Stable Flies, Horn Flies, Houseflies, Face Flies, Horse Flies, Deer Flies, Mosquitoes and Gnats.** Apply thoroughly to surfaces until wet. Insects coming to rest on treated surfaces will be killed or repelled. Repeat treatment as necessary but not more than once per week. Do not spray animals or humans, or apply to animal feed or watering equipment.

PANTRY PESTS - Grain Beetles (Rusty, Merchant and Saw-Toothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths: Treat exposed stages. Remove all food-stuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow to dry prior to replacement of shelf paper, food and utensils. Wash any exposed food handling surfaces and utensils before use.

Carpenter Beetles (Black, Furniture and Varied): Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

Webbing Clothes Moths: Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

Bedbugs and Lice: Remove linens and wash before reuse. Lightly spray mattresses, especially tufts, folds and edges. Apply to the interior of the frame. Allow to dry before remaking bed.

Also, treat your yard with a product registered for yard application.

OUTDOORS

Remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use. Do not use on edible crops.

Do not make applications during rain. Do not water the treated area to the point of run-off.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- (1) Treatment [or Applications] to soil or vegetation around structures;
- (2) Applications to lawns, turf and other vegetation;
- (3) Applications to building foundations, up to a maximum height of 3 feet

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to spot and crack-and-crevice applications only.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

For outdoor use only as an aid in controlling these insects. Point sprayer away from face. Hold sprayer on a slight downward angle, approximately 12 inches from surface to be sprayed. Spray with wind if breeze is blowing. Do not contaminate fish ponds or apply directly to water.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: For control of building infestation to *Ants, Clover Mites, Crickets, Sowbugs (Pillbugs), and Stink Bugs*. Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary but not more than once per week.

CRAWLING INSECTS: *Ants, Cockroaches (including Asian Cockroaches), Centipedes, Crickets, Mole Crickets, Waterbugs and Silverfish*. Hold can [or sprayer or container] 12 to 18 inches from surface to be treated and spray in infested surface of patio or picnic areas, hitting as many insects as possible. Spray to slightly moisten the surface. [Spray infested surface of patio or picnic area.] Also spray legs of tables and chairs.

Ants: Spray freely around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray freely on and around debris. Repeat as necessary but not more than once per week.

[*Ants*: Spray ant trails and hills. If nest can be located, spray surface of nest until wet.]

Lone Star Ticks, Dog Ticks, Crickets and Fleas: Apply thoroughly to infestation in bushes, grass or weeds.

Wasps, Hornets, Yellow Jackets and Bees: Spray nests and other surfaces where bees may rest. Aim spray at nest openings. Applications should be made late in the evening when insects are at rest.

FLYING INSECTS: *Houseflies, Gnats, Mosquitoes, Small Flying Moths, and Stink Bugs*: Spray outside surfaces of window and door frames and other areas where these pests may enter the home. Also spray localized resting areas, such as under eaves, porches, surfaces around light fixtures and cords, railings, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed.

Carpenter Ants and Carpenter Bees: (for localized control only) Apply Terro® Home Pest Control [or this product] to voids or channels in damaged wood of a structure, or to cracks, crevices and spaces in and between wooden portions of a structure or between wood and the foundation, in locations vulnerable to attack such as crawl spaces.

HOUSE PLANTS: To control *Aphids, Japanese Beetles, Lace Bugs, Leafminers, Mealy Bugs, Mites and Spider Mites* on house plants. Prior to spraying, remove plants from living and eating areas. Put in an area not likely to come in contact with pets, children or food. Plants can be returned to original location when leaves dry. If plants cannot be moved, cover or remove exposed food and food handling surfaces. Avoid spraying surrounding areas.

Apply spray to upper and lower surfaces of foliage. Avoid wetting blossoms if possible. Repeat applications as necessary but not more than once per week.

FOR CONTROL OF ORNAMENTAL GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill *Japanese Beetles* hit by spray, as well as *Whiteflies, Aphids, Armyworms, Lace Bugs, Mealy Bugs, Exposed Thrips, Pavement Ants, Spiders, Spider and Red Mites, Clover Mites and Leafminers*.

Not for use on plants grown for sale or other commercial use.

May be used on plants, as well as a multi-purpose spray in small ornamental gardens and for spot treatments to prevent insects from spreading into large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Over application may cause damage. **DO NOT apply to vegetable plants or other plants used for food.** Spray insects directly whenever possible. Repeat treatment as necessary but not more than once per week.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from [inaccessible to] children and pets and away from heat, sparks and open flame. [Protect from freezing.] [Store above 32°F.] [Do not transport or store below 32°F. (0°C)] If freezing occurs, allow product to thaw and shake well before using [use]. [Some product separation may occur on freezing which is reversible on shaking]. Freezing does not adversely affect [this product] [performance].

Container Disposal: *If empty:* Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling, if available. *If partly filled:* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

6/6

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Senoret Chemical Company, Inc. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SENORET CHEMICAL COMPANY, INC. MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Senoret Chemical Company, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Senoret Chemical Company, Inc. disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT SENORET CHEMICAL COMPANY, INC. ELECTION, THE REPLACEMENT OF PRODUCT.

© Senoret Chemical Company, Inc.

Terro® is a registered trademark of Senoret Chemical Company, Inc.

[] Indicates alternate text in addition to any subset of the directions for use.

F:\shared\Senoret\149-20 Terro Home Pest Control\Label\2011\149-20 Home Pest Control ABN label 110911.doc

